

# MOCRS RESULTS Walk Ward 1: Columbia Heights



Thursday, July 16<sup>th</sup>

3:00 PM - 4:30 PM

Start: 14th St and Irving St NW













# **Government Participants**

- The Honorable Muriel E. Bowser, Mayor of the District of Columbia
- Brianne Nadeau, Ward 1 Councilmember
- Tom Gordon, ANC Commissioner (1A03)
- Jessica Smith, ANC Commissioner (1B07)
- Dotti Love Wade, ANC Commissioner (1A11)
- David Do, Director of the Office on Asian and Pacific Islander Affairs
- Polly Donaldson, Director of the Department of Housing and Community Development

- Leif Dormsjo, Director of the District Department of Transportation
- Diane Groomes, Assistant Chief of Police, Patrol Services Bureau
- Gregory Jackson, Director of the Mayor's Office of Community Relations and Services
- Kristal Knight, Executive Director of Serve DC
- Ralph McLean, Captain Third District, Metropolitan Police Department
- Jackie Reyes, Director of the Office of Latino Affairs
- Mamadou Samba, Director of the Office on African Affairs
- Eric Shaw, Director of the Office of Planning



# Government Participants Cont.

- Sarah Fasbaugh (ABRA)
- Todd Stark (DCRA)
- Luis Garcia-Cruz (OSSE)
- Cameron Washington (DPW)
- Darrell Powe (DBH)
- Karla Kirby (DCHR)
- Eric Shaw (OP)
- Malaika Abernathy (OP)
- Claudia Barahona (Councilmember Nadeau)

- Avery Gollinge (DBH)
- Susana Castillo (DBH)
- Mary Jo Vazquez (DBH)
- Olimpia Lopez (OLA)
- Jane Kim (OAPIA)
- Calvin Woodland (DBH)
- Tim White (FEMS)
- Sharon Gray (DHCD)
- Joshua Harris, (DMGEO)



### Ward 1 Core Team Members

- Ben Case, Ward 1 Liaison, Mayor's of Community Relations and Services
- Gabriel Rojo, Ward 1 Liaison, Mayor's of Community Relations and Services
- Michael Aniton, Office of the Attorney General
- John Suero, Alcoholic Beverage Regulation Administration
- Benjamin Broome, Inspector, Department of Public Works
- Ronald King. Department of Health
- Officer Perry Morgan, Metropolitan Police Department
- Janet Hernandez, Department of Consumer and Regulatory Affairs
- Vanessa Winfield, District Department of Transportation
- Tolaundo Taylor, Department of Health
- Glen Reynoso, Department of Parks and Recreation
- Alonzo Holloway, Department of Parks and Recreation




# **Community Participants**

- Justin Sinclair, Dean of Students, Columbia Heights Education Campus
- Michelle Chevalier, Health Center Director at Unity Health Care
- Rosalind Gilliam, Community Member
- Marshella Toldson, Community Member
- Robrette Vadon, Community Member

- Towanda Hunter, Community Member
- Bill Brown, Community Member
- Keith Wade, Community Member
- Major LR Williams, Community Member
- Larry Powell, Community Member



# Route Map







#### R.E.S.U.L.T.S Neighborhood Walk Report Out

Count	Issue Identified	Address or Location of Issue	Agency Owner	Status
1	Requesting more flyers about DPR Programs	3012 14 <sup>th</sup> ST NW	DPR	Closed
2	Requesting more flyers about DPR Programs	2108 18 <sup>th</sup> ST NWSmile Dental Center	DPR	Closed
3	Crate Issues In Need of Repair	1360 Girard ST NW14th & Girard Park	DPR	Closed
4	Need More Providers	3020 14 <sup>th</sup> ST NWUpper Cardozo Clinic	DBH	Closed
5	k-2 Spice in the Area	2900 14th ST NW—Columbia Heights Village	DBH	Closed
6	Concern with violence (shooting and gun)	2641 15th ST NW (Purple House)	OAG	Closed
7	Concern with drug usage at property	2641 15th ST NW (Purple House)	OAG	Closed
8	Unimproved Alley Needs to Cut & Rodeent Control	1339 Girard ST NW	OAG	Not in Salesforce
9	Streetlight Illumination Inspection-Check streetlights for outages and light quality	14th ST NW-U ST to Irving ST NW	DDOT	Closed
10	Alley Paving & Additional Lights	3018 14 <sup>th</sup> ST NW	DDOT	Closed
11	Curb Repairs Needed	1401 Columbia Rd NW	DDOT	On-Hold
12	Tree Boxes-adding mulch to tree boxes to assist drainage	3000 block of 14th ST NW	DDOT	Closed
13	Redtop Meter-a part of the Redtop meter program	2900 14th ST NW	DDOT	Not in Salesforce
14	Intersection restriping	2600 & 2750 14 <sup>th</sup> ST NW	DDOT	Open
15	Tree Triming Needed	Corner of Fairmont ST and University	DDOT	Closed
16	Bricks Missing Outside of Cardozo	3020 14th ST NW	DDOT	On-Hold
17	Alley behind Cordozo Medical in need of serious surface repair	3020 14th St. NW (alley)	DDOT	Closed
18	Tree Boxes in front of 7-11 regularly flood; cess-pool like condition	s persist 3012 14th ST NW	DDOT	On-Hold
19	Redtop Parking Meters- status of metesr outside of CBD in-limbo	Throughout Columbia Heights business cooridor	DDOT	Not in Salesforce
20	Unmaintained and overgrown treebox	2750 14th ST NW	DDOT	On-Hold







21	Resident complained of nonvisible crosswalks near Columbia He	eights Rec	1480 Girard ST	DDOT	Closed
22	Huge even sidewalk with gap		2600 14 <sup>th</sup> ST NW (14 <sup>th</sup> & Euclid)	DDOT	Open
23	Spalling and cracked sidewalks ned to be replaced		Streets surrounded Columbia Heights Rec Center	DDOT	Closed
24	Overgrown Treebox		1456 Fairmont ST NW (Fairmont & University)	DDOT	On-Hold
25	Speeding is an issue on Fairmont- need speed hump to be installed		Fairmont	DDOT	Closed
26	Clean Alley		3000 block of 14th ST (between Irving ST & Coloumbia Rd)	DPW	Closed
27	Complaint RE D/O in FO		F/O 3023 14th ST	MPD	Closed
28	D/O's WHT T-Shirts @ METRO		SW Corner 14th & Iving	MPD	Closed
29	Drug Complaint		Highland Park 1400 Irving ST	MPD	Closed
30	Loitering in front of		3020 14th ST NW (Upper Cardozo Clinic)	MPD	Closed
31	Loitering Outside business hampers flow of patients into facility		3020 14th ST (Upper Cardozo Clinic)	MPD	Closed
32	Alley is used area for illicit activity and drug use- need ramped-up police enforcement		Alley Behind 3020 14th ST NW	MPD	Closed
33	Myriad of issues arising from use of K2 by young area resdients and robberies)	( ie. Attacks on neighbors	Plaza at Columbia Heights Metro Station	MPD	Closed
34	Graffiti in Alley		3012 14 <sup>th</sup> ST NW	DPW	On-Hold
35	Liter can needs Botton Down		2800 block of Girard ST	DPW	Not in Salesforce
36	Rat burrows were observed		3020 14th Street, NW (Upper Cardozo Clinic)	DOH	Closed
37	Rat burrows were observed		2600 Block of 14th Street	DOH	Closed
38	Code Violations were observed; spillage behind dumpsters		2600 14th ST NW (14 <sup>th</sup> & Euclid STBP Gas Station)	DOH	Closed









40	Empty Tree Boxes	1480 Girard ST NW	DDOT	On-Hold
49	Dead Tree	3030 14 <sup>th</sup> ST NW (14 <sup>th</sup> & Irving)	DDOT	Escalated
40		3030 14 ST NW (14 & Irving)		
41	Broken Bricks around the Trees	3030 14 ST NW (14 & Irving) 3030 14 h ST NW (14 & Irving)	DDOT	Escalated
42	Empty & Nuisance Newspaper Boxes	,	DDOT	On-Hold
43	Unfinished Sidewalk Repair	3020 14th ST NW (Upper Cardozo Clinic)	DDOT	Closed
44	Uncovered Hole (tripping hazzard)	3018 14th ST NW (Front of Sprint Mobile)	DDOT	Closed
45	Overgrown Tree Box	1408 14 <sup>th</sup> ST NW (Girard & 14th ST )	DDOT	Escalated
46	Overgrown Tree Boxes	1455 Girard ST NW (Acroos the Street from the Community Center on Girard ST)	DDOT	Escalated
47	Tripping Hazzard - Need Sidewalk Repair	Midway down Girard ST on Northside	DDOT	Closed
47	Tripping Hazzard - Need Sidewalk Repair	2750 14 <sup>th</sup> ST NW	DDOT	Closed
48				
49	Abandoned Bicycle	3023 14 <sup>th</sup> ST NW (NE Corner of Columbia Rd & 14 <sup>th</sup> )	DDOT	Closed
73	Tripping Hazzard - Need Sidewalk Repair	2600 14 <sup>th</sup> ST NW (Off the corner of 14th & Euclid STBP Gas	DDOT	Escalated
50		Station)		
30	Gum Stains on the ground	SW Corner of 14th & Irving ST (all around metro station)	DPW	Closed
51				
31	Posters on Street Light Control Box	SW Corner of 14th & Irving ST (metro station)	DPW	Closed
52	·			
53	Graffiti on sign	3020 14th ST NW (Upper Cardozo Clinic)	DPW	Closed
54	Dirty Sidwalk Grates	3020 14th ST NW (Upper Cardozo Clinic)	DPW	Closed
55	Gum Stains, Grit, & Dirt on Sidewalk	3021 14th ST NW (Upper Cardozo Clinic)	DPW	Closed
56	Graffiti on Street Light Box	2900 14th ST	DPW	Closed
30	Trash Removal	2600 14 <sup>th</sup> ST NW (NW Corner of 14th & Euclid STBP Gas	DPW	Closed
57		Station)		
37	Graffitti on post in alloey needs removal	3020 14th St. NW (Alley)	DPW	Closed
58		, "		
30	Wobbly Tree Grates	SE Corner of Girard & 14th ST (DPR Splash Park)	DPR/DGS	On-Hold
59	,	,	,	
39	No Dogs Allowed Signs Needed	SE Corner of Girard & 14th ST (DPR Splash Park)	DPR/DGS	Closed
60		(	., = ==	
60	Residents complain that park closes well before advertised closing time of 9pm	Plaza on 14th St	DPR	Closed
61	Bathrooms are leaking and electricity flow is sporadic	Plaza on 14th St	DPR	Closed
62	butili boths are leaking and electricity flow is sportation	1 1020 011 1-101 30	DIN	Ciosca







		th		- 1 - 1 - 1 - 1	
64	Sidewalk uprooted by tree roots	2600 14 <sup>th</sup> ST NW	DDOT	8/17/2015	On-Hold
65	Sidewalk uplifted by tree roots	2750 14th ST NW	DDOT	8/17/2015	On-Hold
66	Concrete sidewalk needs to be restored	2750 14th ST NW	DDOT	8/17/2015	Closed
68	Utility Cuts in Roadway	2701 14th ST NW (14 <sup>th</sup> & Girard)	DDOT	8/17/2015	On-Hold
69	Concrete sidewalk causing tripping hazard	2800 14 <sup>th</sup> ST NW	DDOT	8/17/2015	On-Hold
70	Concrete roadway is cracked	1400 Girard Street and 2700 14th Street	DDOT	8/17/2015	On-Hold
71	U post sign needs to be straightened	1408 Girard Street	DDOT	8/17/2015	On-Hold
72	Pothole in the alley	1408 Girard Street	DDOT	8/17/2015	Closed
73	Pepco manhole top is below grade	1408 Girard Street	DDOT	8/17/2015	Not In Salesforce
74	Incomplete Cut in Roadway	1419 Girard Street	DDOT	8/17/2015	On-Hold
75	Sidewalk replacement	1421 Girard Street	DDOT	8/17/2015	On-Hold
76	Crack in sidewalk	1429 Girard Street	DDOT	8/17/2015	On-Hold
77	Cracked sidewalk and driveway	1432 Girard Street	DDOT	8/17/2015	Closed
78	Sidewalk uplifted by tree roots	1439 Girard Street	DDOT	8/17/2015	On-Hold
79	Cracked sidewalk	1461 Girard Street	DDOT	8/17/2015	On-Hold
80	Tree box space empty	1480 Girard Street	DDOT	8/17/2015	On-Hold
81	Cracks in concrete sidewalk	2806 14th ST NW	DDOT	8/17/2015	On-Hold
82	Concrete roadway is cracked	2900 14th St NW	DDOT	8/17/2015	On-Hold
83	Tree Box Bricks Missing	3116 14th St NW	DDOT	8/17/2015	On-Hold
84	Pepco work in progress - boards are lifted	3020 14th St NW	DDOT	8/17/2015	On-Hold
85	Loose brick pavers on NE corner	3023 14 <sup>th</sup> ST NW	DDOT	8/17/2015	On-Hold
86	Cracked sidewalk at driveway	14th Street and Harvard Street NW	DDOT	8/17/2015	On-Hold
87	Manhole is below grade	2801 14th ST NW	DDOT	8/17/2015	On-Hold
88	Streetlight cut needs to be restored	2701 14 <sup>th</sup> ST NW	DDOT	8/17/2015	On-Hold







30 Day Status update






60 Day Status update




Close out Status update


























### **After Pictures**